

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S29	16	RAINEY-ROBERT-R RAINEY-R-R	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/30 23:11
S30	9	RAINEY-ROBERT-R RAINEY-R-R and vehicle same weight same sensor same seat	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 22:37
S31	9	RAINEY-ROBERT-R RAINEY-R-R and vehicle same weight same sensor same seat	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/11 23:33
S32	119	177/25.13,136,144,154,168,170, 185,199,200,211,213,225,229,256. ccls. and strain near gauge and seat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/26 21:43
S33	6	177/25.13,136,144,154,168,170, 185,199,200,211,213,225,229,256. ccls. and strain near gauge and seat and substrate	USPAT	OR	OFF	2005/05/11 23:36
S34	32	200/85r,85a.ccls. and gauge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/26 21:12
S35	32	200/85r,85a.ccls. and gauge	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/11 23:37
S36	39	73/862.625-862.635,862.473,862. 474.ccls. and strain near gauge and seat	USPAT	OR	OFF	2005/05/11 23:38
S37	19	340/665-668.ccls. and strain near gauge and seat	USPAT	OR	OFF	2005/05/11 23:39
S38	1	340/665-668.ccls. and strain near gauge and seat and substrate	USPAT	OR	OFF	2005/05/11 23:39
S40	46	(strain near gauge) and seat and "73"/\$.ccls. and substrate	USPAT	OR	OFF	2005/05/11 23:40

S41	61	("6433289" "6417466" "6407350" "6407347" "6250671" "6244116" "6231076" "6225576" "6161891" "6109117" "6092838" "6089106" "6073987" "6070115" "6069325" "6054761" "6039344" "5997033" "5991676" "5986221" "5971432" "5959214" "5942695" "5906393" "5865463" "5821633" "5810392" "5801339" "5756943" "5739757" "5732375" "5708207" "5629488" "5574221" "5573269" "5539158" "5531472" "5512713" "5507182" "5327791" "5276432" "5232243" "5222398" "5211061" "5109199" "5060174" "4785673" "4739848" "4556598" "4453609" "4396079" "3993151" "3915248" "3559467" "3481626" "3780817" "3367178" "3084542" "2995034" "2439146" "2090188").PN.	USPAT	OR	ON	2005/05/30 21:26
S42	220	(strain near gauge) same weight same seat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/26 21:14
S43	194	(strain near gauge) same weight same seat	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/11 23:42
S44	167	(strain near gauge) same weight same seat	US-PGPUB; USPAT	OR	ON	2005/05/11 23:42
S45	97	(strain near gauge) same weight same seat	USPAT	OR	ON	2005/05/11 23:42
S46	1630	"296"/\$.ccls. and "297"/\$.ccls.	USPAT	OR	OFF	2005/05/11 23:43
S48	1145	("296"/\$.ccls. and "297"/\$.ccls.) and seat	US-PGPUB; USPAT	OR	OFF	2005/05/11 23:43
S49	1	("296"/\$.ccls. and "297"/\$.ccls.) and (seat same weight near sensor)	USPAT	OR	OFF	2005/05/11 23:44
S50	1	"6419315"	US-PGPUB; USPAT	OR	OFF	2005/05/11 23:44
S51	2667	weight near sensor	USPAT	OR	ON	2005/05/26 23:33
S52	5	weight near sensor and planar near substrate	US-PGPUB; USPAT	OR	OFF	2005/05/11 23:45
S53	16	(strain near gauge) and seat and "338"/\$.ccls.	USPAT	OR	OFF	2005/05/26 22:42
S54	4	(strain near gauge) and seat and "180"/\$.ccls. and substrate	USPAT	OR	OFF	2005/05/11 23:46
S55	10	(strain near gauge) and seat and "280"/\$.ccls. and substrate	USPAT	OR	OFF	2005/05/11 23:47
S56	46	(strain near gauge) and seat and "73"/\$.ccls. and substrate	USPAT	OR	OFF	2005/05/11 23:47

S57	23	"5942695"	USPAT	OR	OFF	2005/05/11 23:48
S58	100	("5810392" "5865463" "5971432" "5991676" "5905210" "6039344" "6092838" "6161891" "6231076" "6288649" "6407347" "6448512" "6502887" "5481078" "6356200" "5602425" "6246936" "5996421" "5364048" "5570903" "5678854" "5877677" "5960523" "5987370" "6078854" "6134492" "6213510" "6213510" "6242701" "4328934" "4408738" "4540137" "4570873" "4579387" "4936601" "5202831" "5221110" "5232243" "5374110" "5413378" "5431447" "5454591" "5474327" "5484166" "5494311" "5507523" "5531472" "5547149" "558295" "5573269").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/26 21:12
S59	48	("5810392" "5865463" "5971432" "5991676" "5905210" "6039344" "6092838" "6161891" "6231076" "6288649" "6407347" "6448512" "6502887" "5481078" "6356200" "5602425" "6246936" "5996421" "5364048" "5570903" "5678854" "5877677" "5960523" "5987370" "6078854" "6134492" "6213510" "6213510" "6242701" "4328934" "4408738" "4540137" "4570873" "4579387" "4936601" "5202831" "5221110" "5232243" "5374110" "5413378" "5431447" "5454591" "5474327" "5484166" "5494311" "5507523" "5531472" "5547149" "558295" "5573269").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/26 21:12
S60	195	(strain near gauge) same weight same seat	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/26 21:14
S61	11	S59 and S60	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/26 21:16

S62	50	("5615917" "5624132" "5629681" "5670853" "5706909" "5785347" "5788271" "5803491" "5806884" "5816611" "5821633" "5864295" "5871232" "5878620" "5904219" "5906393" "5918696" "5927752" "5927427" "5934703" "5934750" "5942695" "5941560" "5950952" "5957491" "5961144" "5964478" "5965827" "5975568" "5983147" "5979585" "5986221" "5984349" "5988676" "6000717" "6007095" "6012007" "6015163" "6015164" "6021863" "6027138" "6040532" "6041658" "6045155" "6053529" "6056079" "6058341" "6070115" "6076854" "6076853").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/26 21:16
S63	10	S60 and S62	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/26 21:17
S64	10	S60 and S62	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/26 21:18
S65	44	("6081759" "6081757" "6079745" "6089106" "6099032" "6101436" "6104284" "6109117" "6129168" "6138067" "6134947" "6158768" "6161439" "6164693" "6185487" "6199904" "6205868" "6206416" "6209915" "6212457" "6218632" "6220627" "6223606" "6224094" "6209915" "6212457" "6218632" "6220627" "6223606" "6224094" "6230088" "6243634" "6244116" "6250671" "6250672" "6252240" "6253134" "6254126" "6259042" "6259167" "6260879" "6264236" "6279946" "6282473" "6286861" "6290255" "6302438" "6311571" "6324453" "6330501").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/26 21:17
S66	0	S65 and S62	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/26 21:18
S67	5	S65 and S60	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/26 21:18
S68	5	S65 and S60	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/26 21:20
S69	26	S61 or S63 or S67	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/26 21:20

S70	5	338/5.ccls. and strain near gauge and seat	USPAT	OR	OFF	2005/05/26 21:41
S71	151	"177"/\$.ccls. and strain near gauge and seat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/26 21:44
S72	195	"73"/\$.ccls. and strain near gauge same seat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/26 22:00
S73	79	"177"/\$.ccls. and strain near gauge same seat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/26 21:44
S74	114	"73"/862-862.382.ccls. and strain near gauge same seat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/26 22:01
S75	18	RAINEY-ROBERT-R RAINEY-R-R	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 22:33
S76	11	RAINEY-ROBERT-R RAINEY-R-R and vehicle same weight same sensor same seat	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/26 22:37
S77	0	(strain near gauge) and seat and "338"/47.ccls.	USPAT	OR	OFF	2005/05/26 22:42
S78	5	(strain near (gauge or gage)) and seat and "338"/47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/26 22:56
S79	1	((strain near (gauge or gage)) adj resistor) and seat and "338"/47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/26 22:56
S80	2	((strain near (gauge or gage)) adj resistor) and seat and "338"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/26 22:57

S81	27	((strain near (gauge or gage)) adj resistor) and seat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/26 23:00
S82	4	((strain near (gauge or gage)) adj resistor) and seat and "280"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/26 23:02
S83	3	((strain near (gauge or gage)) adj resistor) and seat and "280"/735.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/26 23:03
S84	1	((strain near (gauge or gage)) adj resistor) and seat and "296"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/26 23:04
S85	1	((strain near (gauge or gage)) adj resistor) and seat and "296"/65.01, 68.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/26 23:04
S86	8	177/25.13,136,144,154,168,170, 185,199,200,211,213,225,229,256.ccls. and strain near gauge and seat and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/26 23:08
S87	8	177/25.13,136,144,154,168,170, 185,199,200,211,213,225,229,256.ccls. and strain near gauge and seat and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/26 23:08
S88	58	180/271-273.ccls. and strain near gauge and seat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/26 23:09
S89	6	("4432247" "4903000" "6098464"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/26 23:18
S90	19	340/665-668.ccls. and strain near gauge and seat	USPAT	OR	OFF	2005/05/26 23:23

S91	61	("6433289" "6417466" "6407350" "6407347" "6250671" "6244116" "6231076" "6225576" "6161891" "6109117" "6092838" "6089106" "6073987" "6070115" "6069325" "6054761" "6039344" "5997033" "5991676" "5986221" "5971432" "5959214" "5942695" "5906393" "5865463" "5821633" "5810392" "5801339" "5756943" "5739757" "5732375" "5708207" "5629488" "5574221" "5573269" "5539158" "5531472" "5512713" "5507182" "5327791" "5276432" "5232243" "5222398" "5211061" "5109199" "5060174" "4785673" "4739848" "4556598" "4453609" "4396079" "3993151" "3915248" "3559467" "3481626" "3780817" "3367178" "3084542" "2995034" "2439146" "2090188").PN.	USPAT	OR	OFF	2005/05/26 23:27
S92	109	(strain near gauge) same weight same seat	US-PGPUB; USPAT	OR	OFF	2005/05/26 23:27
S93	3	weight near sensor and planar near substrate	USPAT	OR	OFF	2005/05/26 23:28
S94	4	(strain near gauge) and seat and "180"/\$.ccls. and substrate	USPAT	OR	OFF	2005/05/26 23:29
S95	10	(strain near gauge) and seat and "280"/\$.ccls. and substrate	USPAT	OR	OFF	2005/05/26 23:29
S96	76	(strain near gauge) and seat and "180"/\$.ccls.	USPAT	OR	OFF	2005/05/26 23:30
S97	61	280/735.ccls. and strain near gauge and seat	USPAT	OR	OFF	2005/05/26 23:31
S98	39	73/862.625-862.635,862.473,862.474.ccls. and strain near gauge and seat	USPAT	OR	OFF	2005/05/26 23:31
S100	6	177/25.13,136,144,154,168,170,185,199,200,211,213,225,229,256.ccls. and strain near gauge and seat and substrate	USPAT	OR	OFF	2005/05/26 23:32
S101	13	weight near sensor same strain near (gauge or gage) near resistor	USPAT	OR	ON	2005/05/26 23:33
S102	8	("20050061643" "6578432" "6583367" "6739206").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/27 17:38
S103	3	("4432247" "4903000" "6098464").PN.	USPAT	OR	ON	2005/05/30 21:30
S104	1	"6578435".pn.	USPAT	OR	ON	2005/05/30 21:31

S10 5	1	"6578432".pn.	USPAT	OR	ON	2005/05/30 21:31
S10 6	484	STRAIN ADJ (GAGE OR GAUGE) ADJ RESISTOR	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/30 23:12
S10 7	29	STRAIN ADJ (GAGE OR GAUGE) ADJ RESISTOR AND "177"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/30 23:12
S10 8	166	STRAIN ADJ (GAGE OR GAUGE) ADJ RESISTOR AND "73"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/30 23:13
S10 9	49	STRAIN ADJ (GAGE OR GAUGE) ADJ RESISTOR AND "338"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/30 23:13
S11 0	10	STRAIN ADJ (GAGE OR GAUGE) ADJ RESISTOR AND "340"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/30 23:13
S11 1	3	STRAIN ADJ (GAGE OR GAUGE) ADJ RESISTOR AND "200"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/30 23:13